




SPECIFICATIONS AND CABINET FINISHES

SALERNO SERIES

Base Cabinets / Wall Cabinets / Tall Cabinets / Vanity Cabinets / Accessories





Savannah Cabinetry - Custom Capabilities

If standard options do not meet project requirements, Savannah Cabinetry offers an extensive range of alternatives. Nearly any cabinet style or finish can be accommodated.

Our team collaborates directly with clients to:

- ❖ Address project specific concerns
- ❖ Understand design goals and functional needs
- ❖ Implement custom solutions that align with specifications

Savannah Cabinetry is committed to delivering products that fit your requirements and consistently meet or exceed expectations.

Please Note: Product details are subject to change without prior notice. This printed spec book may not include the most recent updates. For the latest specifications and available modification options, please refer to our digital spec book at www.savannahcabinets.com.

Savannah Cabinetry

TABLE OF

CONTENTS

01

Warranty Information

02

Cabinets, Finishes & Profiles

03

Features

04

Base Cabinets

05

Wall Cabinets

06

Tall Cabinets

07

Vanity Cabinets

08

Accessories

WARRANTY

Limited Lifetime Warranty on Cabinets

Savannah Cabinetry stands behind the quality of our products with an industry leading Limited Lifetime Warranty. We guarantee that all components of our cabinetry are free from defects in materials and craftsmanship for original consumer purchasers.

To view the complete warranty details, please visit our website:
www.savannahcabinets.com .


RADIANT PROFILES



Snow Gloss



Dove Gloss




- ❖ PET laminate on the exterior, melamine laminate on the interior
- ❖ Matching-color edge banding on all exposed edges.
- ❖ European Style Full Overlay MDF Core Slab Door
- ❖ 3/4" Adjustable Plywood Shelves
- ❖ Sides, Top & Bottom Panels: 3/4" Plywood with Edge-Banded Fronts
- ❖ Back Panel: 1/4" Plywood with 5/8" Thick Hanging Rails
- ❖ Frameless Plywood Box Construction
- ❖ Metal Drawer Box System
- ❖ 3D Undermount Soft Close Glides
- ❖ Concealed 6-Way Adjustable Soft Close Hinges

LUMINA PROFILES




Snow White




- ❖ Full Overlay Door
- ❖ Five-Piece Drawer Front Construction
- ❖ Solid Wood Door with MDF Veneer Center
- ❖ 3/4" Adjustable Plywood Shelves
- ❖ Sides, Top & Bottom Panels: 3/4" Plywood with Edge-Banded Fronts
- ❖ Back Panel: 1/4" Plywood with 5/8" Thick Hanging Rails
- ❖ Frameless Plywood Box Construction
- ❖ Metal Drawer Box System
- ❖ 3D Undermount Soft Close Glides
- ❖ Concealed 6-Way Adjustable Soft Close Hinges

FEATURES



Plywood



FEATURES

1 & 2. Frameless Box

The back panel is 1/4" plywood with 5/8" thick hanging rails. **(1)**

Cabinet sides, tops, and bottoms are constructed from 3/4" thick plywood with front edges edge banded in matching white and white on both interior and exterior surfaces. **(2)**

Frameless Box features European screws to ensure a rigid and square cabinet box structure.

Note: A 3/4" matching door color end panel is required on all exposed cabinet sides.

3. Adjustable Legs

Adjustable legs included with Base & Tall Cabinets for easy leveling during installation; included are clip-on brackets for toe kick trim attachment.

Matching lengths of Toe Kick are available to purchase separately. Toe Kick is 1/2" thick with edge-banding on all sides.

4. Adjustable Shelves

Adjustable shelves are constructed from

3/4" thick plywood and edge-banded with matching white tape.

Shelf depths by cabinet type:

- Base cabinets: 21 5/8" adjustable shelf
- Wall cabinets: 10 1/4" adjustable shelves
- Pantry cabinets: 21 5/8" adjustable shelves

5. Shelf Clips

Shelf clips feature a 6.8mm bore with a fluted plastic stem measuring 2" in length and include a self-locking mechanism for secure placement.

6. Doors and Drawer Fronts

Slab doors and drawer fronts are constructed from 3/4" MDF or particle-board core and edge banding in gloss or matte finishes.

Shaker style doors and drawer fronts are constructed from 3/4" solid wood frames with an MDF veneered center panel for stability and a smooth finish.

FEATURES

7. Hinges

Hinges are fully concealed, soft-closing, and feature 6-way adjustability with a 110° opening angle for precise alignment and smooth operation.

Note: Hinges for Lazy Susan and Wall Pie Cut cabinets do not feature the soft close mechanism.

8. Drawers

Drawer box features a Deluxe Metal Drawer System with a sleek grey interior and a 99 lb loading capacity.

The matching color bottom and back panels are built from durable 5/8" plywood for long-lasting strength and stability.

9. Drawer Glides

Heavy-duty, full-extension ball-bearing drawer glides featuring integrated soft-close mechanisms for smooth, quiet operation and enhanced load capacity.

10. Panel Beams

Panel beams measure 4" x 3/4" and are securely fastened at the top of the base cabinet, creating a sturdy, straight, and integrated side structure.



BASE CABINETS

BASE CABINETS

| Base 1 Drawer 1 Door



B09
B12
B15
B18
B21

BASE CABINETS

| Base 1 Drawer 2 Doors



BASE CABINETS

| Base 2 Drawers 2 Doors



BASE CABINETS


| Base Cabinet Full Height Door



B09FH

BASE CABINETS


| Bakeware Pullout Organizer



BPO09
BPO12

BASE CABINETS

| Base Spice Cabinet



BSP09
BSP12

BASE CABINETS


| Blind Base Cabinet



BBC36/39FH



BBC45/48FH
BBC48/51FH



	Act.	Min.	Max	Open	Door	Closed Blind	Open (Door)
BBC36/39FH	30"	36"	42"	7 5/8"	8 7/8"	26"	8 11/32"
BBC45/48FH	45"	45"	51"	17 5/8"	17 7/8"	26"	17 11/32"
BBC48/51FH	48"	48"	54"	20 3/8"	20 7/8"	26"	20 11/32"

- Must use filler on adjacent wall (not supplied)
- Measurements are rounded off to closest 1/32"

Note: Need to indicate Blind Left or Blind Right at time of order

BASE CABINETS

| Base Microwave Cabinet



Base Microwave Cabinet Specifications

- **Cut Opening:** To be completed on job site for proper fit.
- **Maximum Opening Dimensions:**
 - BMC24:** 22 1/2" W × 19 3/4" H
 - BMC30:** 28 1/2" W × 19 3/4" H

Note: Apply extra care when cutting the front panel to avoid damage.

BASE CABINETS

| 2 Drawers Base Cabinet



BASE CABINETS

| 3 Drawers Base Cabinet




DB12-3D
DB15-3D
DB18-3D
DB21-3D
DB24-3D
DB27-3D
DB30-3D
DB33-3D
DB36-3D

BASE CABINETS

| Corner Sink Front

CSF36



BASE CABINETS

| Farm Sink Base Cabinet



Farm Sink Base Cabinet Specifications

- **Cut Opening:** To be completed on job site for proper fit.
- **Apron Panel:** Each Farm Sink Base includes an apron front panel.
- **Maximum Opening Dimensions:**
 - FSB30:** 28 1/2" W × 11 5/8" H
 - FSB36:** 34 1/2" W × 11 5/8" H

Note: Apply extra care when cutting the front panel to avoid damage.


BASE CABINETS

| Base Lazy Susan Cabinet



BASE CABINETS

| Range Top Base Cabinet - 2 Drawers



BASE CABINETS

| Base Cabinet 2 Full Height Doors



B24FH
B27FH
B30FH
B33FH
B36FH

BASE CABINETS

| 1 False Drawer Front 2 Doors Sink Base



SB24
SB27
SB30

BASE CABINETS

| 2 False Drawers Front 2 Doors Sink Base



BASE CABINETS

| Trash Can Cabinet




TB15



TB18
TB21

BASE CABINETS

| Base End Cabinet




BEC24

BASE CABINETS

| Base Angle Cabinet

BAC24



BASE CABINETS

| Base Wine Rack Cabinet



BWR18L



BWR18R

BASE CABINETS

| Base Ladder





WALL CABINETS

WALL CABINETS

| Wall Cabinet 1 Door



W2124

W0930

W1230

W1530

W1830

W2130

W0936

W1236

W1536

W1836

W2136

W0942

W1242


W1542

W1842

W2142


WALL CABINETS

| Wall Cabinet 2 Doors



W3012
W3312
W3612

W2415
W2715
W3015
W3315
W3615




W2418
W2718
W3018
W3318
W3618

W2421
W2721
W3021
W3321
W3621

W2424
W2724
W3024
W3324
W3624

WALL CABINETS

| Wall Cabinet 2 Doors




W2430
W2730
W3030
W3330
W3630
W4230

W2436
W2736
W3036
W3336
W3636
W4236

W2442
W2742
W3042
W3342
W3642
W4242


WALL CABINETS

| Wall Cabinet 2 Doors - 24" Depth



W301224
W331224
W361224

W301524
W331524
W361524




W301824
W331824
W361824

W302424
W332424
W362424

WALL CABINETS

WALL CABINETS

| Wall Microwave Cabinet



WMC303021
WMC303621

- Full closed front:
Max opening 28-1/2"W x 19- 3/4"H
- Front panel attaches with clips for
easy removal and install


WMC304221

- Comes with 1 shelf
- Full closed front:
Max opening 28-1/2"W x 19-3/4"H
- Front panel attaches with clips for
easy removal and install

Note: Please apply extra care when cutting the front panel to avoid damage.

WALL CABINETS

| Wall Cabinet 1 Door 1 Drawer




WD185415
WD186015

WALL CABINETS

WALL CABINETS


| Wall Cabinet 2 Doors 1 Drawer



WD245415
WD246015

WALL CABINETS

| Wall Diagonal Corner Cabinet 1 Door




WDC2430
WDC2436
WDC2442


WALL CABINETS

WALL CABINETS

| Wall Pie Cut Corner Cabinet 2 Doors



WPC2430
WPC2436




WPC2442

WALL CABINETS

| Wall Blind Cabinet 1 Door




WBC2430 WBC2436
WBC2730 WBC2736
WBC3030 WBC3036




WBC2442
WBC2742
WBC3042

	Act	Min	Min	Door	Closed Blind
WBC2430/36/42	24"	24"	27"	9 5/8"	14
WBC2730/36/42	27"	27"	30"	12 5/8"	14
WBC3030/36/42	30"	30"	33"	15 5/8"	14



WALL CABINETS

| Wall Wine Rack



WWR1515
WWR1818

WALL CABINETS

| Wall Appliance Garage Cabinet - 1 Lift Up Door



WALL CABINETS


WAG2418
WAG3018
WAG3618



TALL CABINETS

TALL CABINETS

| Single Oven Cabinet 2 Doors 3 Drawers



OC3084
OC3090
OC3096

Double Appliance Cabinet Specifications


- **Support Recommendation:** When using two appliances, provide additional support for the top appliance.
- **Fixed Shelf:** To be installed on-site
- **Face Frame:** Full panel face frame to be trimmed on-site

Note: Apply extra care when cutting the face frame front panel to avoid damage to the side panels.

TALL CABINETS

TALL CABINETS

| Double Oven Cabinet 2 Doors 1 Drawer



DOC31.584
DOC31.590
DOC31.596


Double Appliance Cabinet Specifications

- **Support Recommendation:** When using two appliances, provide additional support for the top appliance.
- **Fixed Shelf:** To be installed on-site
- **Face Frame:** Full panel face frame to be trimmed on-site

Note: Apply extra care when cutting the face frame front panel to avoid damage to the side panels.

TALL CABINETS

| Pantry Cabinet - 12" Depth




PC128412
PC129012
PC129612

TALL CABINETS

TALL CABINETS

| Pantry Cabinet - 24" Depth




PC1284
PC1584
PC1884

PC1290
PC1590
PC1890

PC1296
PC1596
PC1896

TALL CABINETS

| Pantry Cabinet - 24" Depth



PC2484
PC3084
PC3684

PC2490
PC3090
PC3690

PC2496
PC3096
PC3696

TALL CABINETS

A dark blue-tinted photograph of a bathroom vanity. A large, arched mirror is mounted on the wall, reflecting a light fixture with two bulbs. Below the mirror is a white countertop with a sink and faucet. The vanity cabinets are dark, and the drawers have dark handles. The text "VANITY CABINETS" is overlaid in white, serif, all-caps font, centered horizontally and partially enclosed by a white line that forms an arch over the text and a horizontal bar to the left.

VANITY CABINETS

VANITY CABINETS

| Vanity Sink Base 1 False Drawer 1 Door



VSB2121

VANITY CABINETS

VANITY CABINETS

| Vanity Sink Base 1 False Drawer 2 Doors



VSB2421
VSB2721
VSB3021

VANITY CABINETS

| Vanity Sink Base 2 False Drawers 2 Doors



VSB3321
VSB3621
VSB4221

VANITY CABINETS

VANITY CABINETS

| Vanity 3 Drawers Base Cabinet



VDB1221
VDB1521
VDB1821

VANITY CABINETS


| Vanity Sink Base with Left Hand 2 Drawers



VANITY CABINETS


VANITY CABINETS

| Vanity Sink Base with Left Hand 2 Drawers



VANITY CABINETS

| Vanity Sink Base with Right Hand 2 Drawers



VSD2421R
VSD3021R

VANITY CABINETS

VANITY CABINETS

| Vanity Sink Base with Right Hand 2 Drawers



VANITY CABINETS

| Vanity Sink Base - 1 Door with 3 Drawers Stacks (Left & Right)




VSD42-6D

VANITY CABINETS

VANITY CABINETS


| Vanity Sink Base - 2 Doors with 3 Drawers Stacks (Left & Right)



VSD48-6D

VANITY CABINETS

| Vanity Sink Base Combo - Double Sinks with 3 Centered Drawers



VSD60D-3D


VANITY CABINETS



ACCESSORIES

ACCESSORIES


| Roll Out Tray




- RO12
- RO15
- RO18
- RO21
- RO24
- RO27
- RO30
- RO33
- RO36

ACCESSORIES


| Drawer Organizer



DO18




DO21
(With Knife Block)



DO24
(With Knife Block)

ACCESSORIES


| Floating Shelf



Available in Pearl White
and Desert Wood Color

FLS24
FLS30
FLS36
FLS42
FLS48
FLS54
FLS60
FLS72

Hardware Included



Weight Limits


FLS24	2	Up to 100 lbs
FLS30	2	Up to 100 lbs
FLS36	2	Up to 100 lbs
FLS42	3	Up to 150 lbs
FLS48	4	Up to 200 lbs
FLS54	4	Up to 200 lbs
FLS60	4	Up to 200 lbs
FLS72	5	Up to 250 lbs

Weight Capacity Warning: Brackets must be mounted into studs or solid posts.
Improper installation may cause shelves to sag, fall, or cause injury.

ACCESSORIES


| Knee Drawer Cabinet

KD30




ACCESSORIES

| Base End Panel, Tall End Panel




BEP



TEP84
TEP90
TEP96

ACCESSORIES

| Vanity End Panel, Refrigerator Panel




VEP

REP2496
REP3096
REP24120
REP30120

RP24961.5
RP30961.5

ACCESSORIES

| Wall End Panel




ACCESSORIES

| Island Panel



PNL12034.5
PNL9648


| Toe Kick




TK8

ACCESSORIES

| Dishwasher Panel




DWP3



DWP6


ACCESSORIES

| Filler, Tall Filler, Corner Filler




ACCESSORIES


| Moulding



Baseboard Moulding
BBM8



Starter Moulding
STRM8




Light Rail Moulding
LRM8



Straight Valance
VST6




STRM8 + LRM



STRM8 + VST6

ACCESSORIES

| Sample Door



SD

Notes

SHOWROOM & DISTRIBUTION CENTER

301.287.1288 Hanover, MD
571.998.8001 Sterling, VA
804.375.8001 Richmond, VA

